



# Safety Data Sheet Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

## Section 1. Identification

### 1.1. Product identifier

**Product Identity**

Clear Developer 40 Volume

**Alternate Names**

Clear Developer 40 Volume, Formula No.: 040

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use**

Salon Care

**Application Method**

Mix with permanent hair color, toner or lightener, Specially formulated for extra lightening action or whenever directions call for 40 volume hydrogen peroxide. Follow hair color manufacturer's directions. Use professional gloves when using this product.

### 1.3. Details of the supplier of the safety data sheet

**Company Name**

Hydrox Laboratories  
825 Tollgate Rd.  
Elgin, IL 60123

**Emergency**

**24 hour Emergency Telephone No.**

800-255-3924

**Customer Service: Hydrox Laboratories**

847-468-9400

## Section 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Eye Dam. 1;H318 Causes serious eye damage.

### 2.2. Label elements

(Not required on cosmetic product or case labels per Occupational Safety and Health Standards 29 CFR 1910.1200(b)(5))



**Danger**

H318 Causes serious eye damage.

**[Prevention]**

P280 Wear protective gloves, eye protection, face protection.

**[Response]**

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER, doctor or physician.



# Safety Data Sheet

## Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

### [Storage]

No GHS storage statements

### [Disposal]

No GHS disposal statements

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen Peroxide CAS Number: 0007722-84-1	10 - 25	Acute Tox. 4;H302 Acute Tox. 4;H332 STOT SE 3;H335; C = 35 % Eye Dam. 1;H318: 8 % = C < 50 % Eye Irrit. 2;H319: 5 % = C < 8 % Ox. Liq. 1;H271: C = 70 % Ox. Liq. 2;H272: 50 % = C < 70 % Skin Corr. 1A;H314: C = 70 % Skin Corr. 1B;H314: 50 % = C < 70 % Skin Irrit. 2;H315: 35 % = C < 50 %	----

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

#### Inhalation

Not Applicable

#### Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

#### Skin

Wash with soap and water.

#### Ingestion

Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting.  
Never give anything by mouth to an unconscious person. See medical doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Overview

Corrosive to eyes and GI tract, irritating to skin, nose, throat, and lungs.

Medical Conditions Generally Aggravated by Exposure: Cuts and abrasions.

Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

#### Eyes

Causes serious eye damage.



## Section 5. Fire-fighting measures

### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sup>2</sup>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxygen which supports combustion.

### 5.3. Advice for fire-fighters

Hydrogen Peroxide at this concentration is an oxidizer. Decomposition releases oxygen, which may intensify time.  
None

ERG Guide No. 140

## Section 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Flush with large amounts of water.

Waste Disposal Method: Bio-degradable, non-hazardous. In conformance with pertinent federal, state or local regulations.

## Section 7. Handling and storage

### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid extreme heat and any kind of contamination.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Reducing agents, wood, iron, and other heavy metals.

Store in cool and dark place.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

### 7.3. Specific end use(s)

No data available.



# Safety Data Sheet Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

## Section 8. Exposure controls / personal protection

### 8.1. Control parameters

CAS No.	Ingredient	Exposure	
		Source	Value
0007722-84-1	Hydrogen Peroxide	OSHA	TWA 1 ppm (1.4 mg/m <sup>3</sup> )
		ACGIH	TWA: 1 ppm
		NIOSH	TWA 1 ppm (1.4 mg/m <sup>3</sup> )

### 8.2. Exposure controls

<b>Respiratory</b>	If desired
<b>Eyes</b>	Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.
<b>Skin</b>	Neoprene gloves are recommended.
<b>Engineering Controls</b>	Local Exhaust: As needed Mechanical: As needed
<b>Other Work Practices</b>	Eye bath and safety showers. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

## Section 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Color: Water-like, colorless Physical State: Liquid
<b>Odor</b>	Odorless
<b>Odor threshold</b>	Not determined
<b>pH</b>	3.4 - 4.0
<b>Melting point / freezing point</b>	Not Measured
<b>Initial boiling point and boiling range</b>	100 C Decomp
<b>Flash Point</b>	Not Measured
<b>Evaporation rate (Ether = 1)</b>	Normal (Butyl Acetate=1)
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
<b>Vapor pressure (Pa)</b>	23 mmHg
<b>Vapor Density</b>	Not Measured
<b>Relative Density</b>	1.07
<b>Solubility in Water</b>	Miscible



# Safety Data Sheet Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Measured
<b>Hydrogen Peroxide Assay</b>	11.5% - 12.0%

## 9.2. Other information

No other relevant information.

## Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Extreme heat and cold.

### 10.5. Incompatible materials

Reducing agents, wood, iron, and other heavy metals.

### 10.6. Hazardous decomposition products

Oxygen which supports combustion.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Hydrogen Peroxide - (7722-84-1)	1,026.00, Rat - Category: 4	>2,000.00, Rabbit - Category: 5	No data available.	No data available.	No data available.



# Safety Data Sheet

## Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0007722-84-1	Hydrogen Peroxide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
		ACGIH	A3

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Hydrogen Peroxide - (7722-84-1)	16.40, Pimephales promelas	2.40, Daphnia pulex	1.38, Skeletonema costatum

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.



# Safety Data Sheet

## Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

### 12.6. Other adverse effects

No data available.

## Section 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state, and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN2984	UN2984	UN2984
14.2. UN proper shipping name	UN2984, Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary), 5.1, III	Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)	Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)
14.3. Transport hazard class(es)	<b>DOT Hazard Class:</b> 5.1 <b>Sub Class:</b> Not Applicable	<b>IMDG:</b> 5.1 <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> 5.1 <b>Sub Class:</b> Not Applicable
14.4. Packing group	III	III	III
14.5. Environmental hazards	Marine Pollutant: No;		
14.6. Special precautions for user	Not Applicable		

## Section 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act (TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>EPCRA 302 Extremely Hazardous:</b>	Hydrogen Peroxide
<b>EPCRA 313 Toxic Chemicals:</b>	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
<b>Proposition 65 - Carcinogens (&gt;0.0%):</b>	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



# Safety Data Sheet

## Clear Developer 40 Volume

SDS Revision Date: 07/17/2023

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

### Section 16. Other information

**Revision Date** 07/17/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H271 May cause fire or explosion; strong oxidizer.

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Disclaimer: The contents of this SDS are believed to be correct but do not purport to be all-inclusive and should only be used as a guide. Hydrox Laboratories, Inc. disclaims any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental or consequential damages resulting from the reliance on the above information.

End of Document